

HK 65 E8

LOADER CRANE



HIDROKON




Agility is With You!

HK 65 E8 Loader Crane

*With high quality equipment,
superior capability and
maximum safety features.*







FEATURES



Proportional
Control Valve



Crane
Radio Remote
Control



Outrigger
Radio Remote
Control



Automatic
Outrigger
Leveling



Outrigger
Control
System



Load
Weighing
System



Variable
Displacement
Pump



Automatic
Lubrication



Hoisting
Winch



Load Case



Load Case
Extension



Oil Tank
300 l

Technical Specifications

Max. Hydraulic Vertical Outreach	24.70 m	81' 0.44"
Max. Manual Vertical Outreach	28.60 m	93' 9.98"
Working Pressure	350 bar	5076 psi
Rotation Angle	∞ Endless	∞ Endless
Number Of Hydraulic Extensions	8	8
Number Of Manual Extensions	2	2
Oil Tank Capacity	300 l	300 l
Dead Weight(Std.)	7250 kg	15,983 lbs



Crane Attachments


● Available ✕ Not Available	Hoisting Winch Single Line	Counter Weight	Load Case Extension	5th-6th Stabilizers	Manual Extension Booms
	1937 KG				
HK 65	●	✕	●	✕	●

Other Attachments

- Double Hook
- Body Apparatus For Utility Pole
- Hook Block - Single Sheave
- Pallet Fork

- Towing Equipment
- Angular Extension Boom
- H Frame Lifting Beam
- Angular Extension Boom
(Angle Adjustable)

HK 65 E8 Lifting Capacity




• Boom deflections are not taken into consideration.
*In the case of working in front of the cab area and / or on a surface where outrigger jacks are not balanced, all the responsibility belongs to the user.

max.	Feet&Inch	21666 kg	47,765 lbs
4.40 m	14' 5.22"	12500 kg	27,557 lbs
6.10 m	20' 0.15"	8450 kg	18,629 lbs
7.85 m	25' 9.05"	6420 kg	14,153 lbs
9.75 m	31' 11.85"	5010 kg	11,045 lbs
11.70 m	38' 4.62"	4050 kg	8,928 lbs
13.75 m	45' 1.33"	3300 kg	7,275 lbs
15.85 m	52' 0.01"	2750 kg	6,062 lbs
18.00 m	59' 0.66"	2340 kg	5,158 lbs
20.20 m	66' 3.27"	2050 kg	4,519 lbs
22.24 m*	72' 11.59"	1700 kg	3,747 lbs
24.28 m*	79' 7.90"	1200 kg	2,645 lbs

* Manual extension boom

Dimensions (mm)



*Dimensions given may vary around $\pm 5\%$.